

FLORIDA DEPARTMENT OF  
**Business & Professional Regulation**




DBPR HOME | ABOUT DBPR | DBPR DIVISIONS | CONTACT DBPR

Florida Department of  
**Business & Professional Regulation**

License efficiently. Regulate fairly.

- BCIS Home
- Log In
- User Registration
- Hot Topics
- Submit Surcharge
- Stats & Facts
- Publications
- FBC Staff
- BCIS Site Map
- Links
- Search



**Product Approval**  
 USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > [Application History](#) > **Application Detail**

EMERGENCY MANAGEMENT

OFFICE OF THE SECRETARY

FL #	FL1956-R6								
Application Type	Revision								
Code Version	2010								
Application Status	Approved								
	*Approved by DCA. Approvals by DCA shall be reviewed and ratified by the POC and/or the Commission if necessary.								
Comments									
Archived	<input type="checkbox"/>								
Product Manufacturer	TAMKO Building Products, Inc.								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com								
Authorized Signature	Carter Lea carter_lea@tamko.com								
Technical Representative	Kerri Eden								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com								
Quality Assurance Representative									
Address/Phone/Email									
Category	Roofing								
Subcategory	Asphalt Shingles								
Compliance Method	Certification Mark or Listing								
Certification Agency	Underwriters Laboratories Inc.								
Validated By	Robert J. M. Nieminen, PE								
	<input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><b>Standard</b></th> <th><b>Year</b></th> </tr> </thead> <tbody> <tr> <td>ASTM D3161</td> <td>2006</td> </tr> <tr> <td>ASTM D3462</td> <td>2007</td> </tr> <tr> <td>ASTM D7158</td> <td>2007</td> </tr> </tbody> </table>	<b>Standard</b>	<b>Year</b>	ASTM D3161	2006	ASTM D3462	2007	ASTM D7158	2007
<b>Standard</b>	<b>Year</b>								
ASTM D3161	2006								
ASTM D3462	2007								
ASTM D7158	2007								
Equivalence of Product Standards Certified By									

Product Approval Method	Method 1 Option A
Date Submitted	12/07/2011
Date Validated	01/12/2012
Date Pending FBC Approval	
Date Approved	01/17/2012

**Summary of Products**

FL #	Model, Number or Name	Description
1956.1	Elite Glass-Seal	A three tab asphalt shingle.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.		<b>Certification Agency Certificate</b> <a href="#">FL1956 R6 C CAC Tamko Service Conf FL 1956 2010.pdf</a> <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 03/19/2013 <b>Installation Instructions</b> <a href="#">FL1956 R6 II glass seal elite app inst april 10.pdf</a> <a href="#">FL1956 R6 II glass seal elite app inst f april 10.pdf</a> Verified By: Robert Nieminen 59166 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
1956.2	Glass-Seal	A three tab asphalt shingle.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.		<b>Certification Agency Certificate</b> <a href="#">FL1956 R6 C CAC Tamko Service Conf FL 1956 2010.pdf</a> <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 03/19/2013 <b>Installation Instructions</b> <a href="#">FL1956 R6 II glass seal elite app inst april 10.pdf</a> Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
1956.3	Heritage	A dimensional asphalt shingle.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.		<b>Certification Agency Certificate</b> <a href="#">FL1956 R6 C CAC fbc 1956 - ul third party inspections.pdf</a> <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 03/19/2013 <b>Installation Instructions</b> <a href="#">FL1956 R6 II heritage app inst.pdf</a> <a href="#">FL1956 R6 II heritage app inst frederick.pdf</a> Verified By: Underwriters Laboratories Inc. Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
1956.4	Heritage 30	A dimensional asphalt shingle.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> N/A <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.		<b>Certification Agency Certificate</b> <a href="#">FL1956 R6 C CAC Tamko Service Conf FL 1956 2010.pdf</a> <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 03/19/2013 <b>Installation Instructions</b> <a href="#">FL1956 R6 II heritage 30 app inst april 10.pdf</a> <a href="#">FL1956 R6 II heritage 30 app inst f april 10.pdf</a> Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
1956.5	Heritage 50	A dimensional asphalt shingle.
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes		<b>Certification Agency Certificate</b> <a href="#">FL1956 R6 C CAC Tamko Service Conf FL 1956 2010.pdf</a> <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a>

<p><b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>		<p><b>Quality Assurance Contract Expiration Date</b>                  03/19/2013  <b>Installation Instructions</b>  <a href="#">FL1956 R6 II heritage 50 app inst april 10.pdf</a>  <a href="#">FL1956 R6 II heritage 50 app inst f april 10.pdf</a>                  Verified By: Robert Nieminen PE 59166                  Created by Independent Third Party: No  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
<p>1956.6</p>	<p>Heritage Premium</p>	<p>A dimensional asphalt shingle.</p>
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> No  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL1956 R6 C CAC fbc 1956 - ul third party inspections.pdf</a>  <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  03/19/2013  <b>Installation Instructions</b>  <a href="#">FL1956 R6 II heritage prem app inst.pdf</a>  <a href="#">FL1956 R6 II heritage prem app inst frederick.pdf</a>                  Verified By: Underwriters Laboratories Inc.                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
<p>1956.7</p>	<p>Heritage Woodgate</p>	<p>A dimensional asphalt shingle.</p>
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> No  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL1956 R6 C CAC FL1956 R6 C CAC ul ltr - shingle name change.pdf</a>  <a href="#">FL1956 R6 C CAC ul - third party inspections.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  03/19/2013  <b>Installation Instructions</b>  <a href="#">FL1956 R6 II Woodgate app inst D Oct 11.pdf</a>  <a href="#">FL1956 R6 II Woodgate app inst F Oct 11.pdf</a>                  Verified By: Underwriters Laboratories Inc.                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
<p>1956.8</p>	<p>Heritage XL</p>	<p>A dimensional asphalt shingle.</p>
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> No  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL1956 R6 C CAC Tamko Service Conf FL 1956 2010.pdf</a>  <a href="#">FL1956 R6 C CAC ul ltr - shingle name change.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  03/19/2013  <b>Installation Instructions</b>  <a href="#">FL1956 R6 II heritage xl app inst d april 10.pdf</a>  <a href="#">FL1956 R6 II heritage xl app inst f april 10.pdf</a>                  Verified By: Robert Nieminen PE 59166                  Created by Independent Third Party: No  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>

[Back](#) [Next](#)

[Contact Us](#) :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2010 State of Florida. :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, e-mail addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions regarding DBPR's ADA web accessibility, please contact our Web

Master at [webmaster@dbpr.state.fl.us](mailto:webmaster@dbpr.state.fl.us).

**Product Approval Accepts:**



