




HERITAGE[®]

ARCHITECTURAL ASPHALT SHINGLES



JOPLIN



- LIFETIME LIMITED WARRANTY***
- 10-YEAR FULL START***
Non-prorated warranty period.
- 130 MPH HIGH WIND WARRANTY***
15-year Limited Warranty when following Heritage's high wind application instructions and fastening pattern.
- 10-YEAR ALGAE CLEANING LIMITED WARRANTY***
- ENHANCED SHINGLE TOP COATING**
Proprietary engineering to increase top coating where it's needed most, for a weathering layer of asphalt designed for protection.
- APEX COLOR® TECHNOLOGY**
Proprietary granule blends and advanced color drops create superior color.

Insist on TAMKO® products for the full TAMKO Complete™ Roof System.



WATERPROOFING

UNDERLAYMENTS

STARTER SHINGLES

TAMKO® SHINGLES

VENTILATION

HIP & RIDGE SHINGLES



TAMKO products are specifically designed to work together, building layer upon layer of protection.



* See TAMKO's Limited Warranty and Application Instructions for full details.
† 15-year Limited Warranty when following Heritage's high wind application instructions and fastening pattern.



WE ARE PROUD OF OUR HERITAGE

More than 75 years of U.S. manufacturing, family-led, founded in the heartland of America.



BEAUTIFUL WOODSHAKE CUT

LIMITED LIFETIME WARRANTY

QUALITY CONSTRUCTION





1-800-641-4691
tamko.com

AMERICA'S SHINGLE IS YOUR HERITAGE.

We are proud of our Heritage — More than 75 years of U.S. manufacturing, family-owned, founded in the heartland of America. With a long history of vertical integration to control the quality of our raw materials, at TAMKO, we think better materials make better shingles. And it's not just an advanced proprietary mix of fiberglass mat, asphalt and ceramic granules that go into our shingles — our support for veterans, first responders, our communities and our employees means you can feel good about choosing a TAMKO® Heritage® shingle — America's Shingle®.



TAMKO HAS THE BEST SHINGLE COLORS BECAUSE WE DO THINGS DIFFERENTLY.

Proprietary blends and color drops create vibrant color and more natural shadowtones.



See how TAMKO shingles could look on your home at tamko.com/visualizer

SHINGLE COLOR SELECTION TIPS

For more information on shingle color selection tips and available colors by zip code, visit tamko.com

START YOUR COLOR SEARCH WITH BROCHURES & VISUALIZATION PROGRAMS.



The printed colors you see in any brochure or digital visualization program are only as accurate as current printing and digital technology allows.

VIEW AN ACTUAL ROOF INSTALLATION.



Shingles may look different installed on a roof compared to viewing only one shingle. Also, shingle colors can appear differently during different times of day, in different amounts of sunlight (full, partial, etc.).

VIEW ACTUAL SHINGLES.



Viewing actual shingles is the only way to see all the nuances in color that will be represented on your roof once the project is complete.

CHECK YOUR SHINGLES BEFORE INSTALLATION.



TAMKO is not responsible for color claims where the wrong color is installed on a roof. It is better to be safe and perform a final in-person check of the shingles to confirm product and color before they are installed.

Certain colors and products may not be available in your area. Information included in this item was current at the time of printing. To obtain a copy of the most current version of this item, visit us online at tamko.com or call us at 1-800-641-4691.

Heritage® shingles meet the following classifications

UL Listed for:

Class A Fire Resistance

UL Classified:

Wind Resistance
ASTM D3462 and ICC-ES
Acceptance Criteria AC438

Tested in Compliance with:

UL 790/ASTM E 108, Class A
ASTM D3161, Class F
ASTM D7158, Class H
ASTM D3462
ICC-ES Acceptance Criteria AC438

UL Evaluation Reports:

UL Evaluation Report
ER2919-01
UL Evaluation Report
ER2919-02

Florida Building Code Product Approval

FL 18355
FL 35321

Miami-Dade County Product Control Approved



TAMKO provides a limited warranty for many products, that includes a binding arbitration clause. See tamko.com/limitedwarranties for complete details.