



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL12328-R8												
Application Type	Revision												
Code Version	2017												
Application Status	Approved												
Comments													
Archived	<input type="checkbox"/>												
Product Manufacturer	TAMKO Building Products LLC												
Address/Phone/Email	PO Box 97 Galena, KS 66739 (417) 624-6644 Ext 2305 kerri_eden@tamko.com												
Authorized Signature	Kerri Eden kerri_eden@tamko.com												
Technical Representative	Kerri Eden												
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com												
Quality Assurance Representative													
Address/Phone/Email													
Category	Roofing												
Subcategory	Underlayments												
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received												
Florida Engineer or Architect Name who developed the Evaluation Report	Zachary R. Priest												
Florida License	PE-74021												
Quality Assurance Entity	UL LLC												
Quality Assurance Contract Expiration Date	10/18/2021												
Validated By	Locke Bowden P.E. <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received												
Certificate of Independence	FL12328_R8_COI_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf												
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>ASTM D1970</td> <td>2015</td> </tr> <tr> <td>ASTM D226</td> <td>2009</td> </tr> <tr> <td>ASTM D4869</td> <td>2016</td> </tr> <tr> <td>ASTM D6380</td> <td>2003</td> </tr> <tr> <td>TAS 103</td> <td>1995</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	ASTM D1970	2015	ASTM D226	2009	ASTM D4869	2016	ASTM D6380	2003	TAS 103	1995
<u>Standard</u>	<u>Year</u>												
ASTM D1970	2015												
ASTM D226	2009												
ASTM D4869	2016												
ASTM D6380	2003												
TAS 103	1995												
Equivalence of Product Standards Certified By													
Sections from the Code													

Product Approval Method

Method 1 Option D

Date Submitted

10/05/2017

Date Validated

10/19/2017

Date Pending FBC Approval

10/20/2017

Date Approved

12/12/2017

Summary of Products

FL #	Model, Number or Name	Description
12328.1	ASTM Slate Surfaced Roll Roofing	Roll roofing surfaced with mineral granules
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes
12328.2	ASTM Tile Underlayment	Coated organic underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes
12328.3	Master Smooth	Asphalt saturated organic underlayment.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes
12328.4	Moisture Guard	A self-adhering modified bitumen underlayment.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes
12328.5	No. 15 ASTM	Asphalt saturated organic felt
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes
12328.6	No. 15 UL	Asphalt saturated organic felt
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4 2017 FBC Eval Report TAMKO Underlayments final.pdf Created by Independent Third Party: Yes

		Underlayments final.pdf Created by Independent Third Party: Yes
12328.7	No. 30 ASTM	Asphalt saturated organic felt
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Created by Independent Third Party: Yes
12328.8	No. 30 UL	Asphalt saturated organic felt
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Created by Independent Third Party: Yes
12328.9	TAM-FELT	Alternate to ASTM D 226, Type II underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Created by Independent Third Party: Yes
12328.10	TW Metal and Tile Underlayment	self-adhering modified bitumen underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Created by Independent Third Party: Yes
12328.11	TW Underlayment	self-adhering modified bitumen underlayment
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL12328_R8_II_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Verified By: Zachary R. Priest 74021 Created by Independent Third Party: Yes Evaluation Reports FL12328_R8_AE_TBP14001.4_2017_FBC_Eval_Report_TAMKO_Underlayments_final.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

