TAMKO BUILDING PRODUCTS LLC SAFETY DATA SHEET – T02J2022

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Floor Shield USE & DESCRIPTION: Mat to Protect Flat Surfaces CHEMICAL FAMILY: None

MANUFACTURED BY:

EMERGENCY TELEPHONE NUMBERS;

TAMKO Building Products LLC P.O. Box 97 Galena, KS 66739-0097 www.TAMKO.com General Information: 1-417-624-6644 (8 a.m. - 5 p.m. CST) Chemtrec: 1-800-424-9300 (24 HOURS)

2. HAZARDS IDENTIFICATION

SIGNAL WORD: Warning GHS CLASSIFICATION:

Eye Irritation – Category 2B Combustible dust

PICTOGRAMS: Not required for the GHS classification

HAZARD STATEMENTS:

Causes eye irritation.

May form combustible dust concentrations in air (enclosed areas).

PRECAUTIONARY STATEMENTS:

Prevention

Wash hands and exposed skin thoroughly after handling.

Response

Get medical advice/attention: If exposed or concerned or you feel unwell, if eye irritation persists.

Specific treatment: See Section 4-First Aid In case of fire: See Section 5.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

None.

Disposal

Dispose in accordance with Federal, State, and Local regulations. (See section 13 for additional information).

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS No.	% by Weight
Polyester Fibers	25038-59-9	80 - 95
Resin	NE	5-20

NE= Not established.

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of cool water for at least 20 minutes, occasionally lifting the eye lids to ensure thorough rinsing. Get medical attention if irritation persists.

SKIN CONTACT: Clean any exposed skin with warm soapy water if possible. If not, and a waterless hand cleaner is used, it should be without pumice. Do not use solvents or thinners to remove material from skin. Do not rub or scratch affected areas as this may force fibers into the skin. Get medical attention if irritation persists or develops.

INGESTION: If swallowed, do not induce vomiting. If vomiting occurs, keep head lower than hips to avoid aspiration of vomit into the lungs which can cause inflammation or pneumonitis. Call poison control center or get immediate medical attention.

INHALATION: If inhaled, immediately remove person to fresh air. Drink water to clear throat or blow nose to clear. If not breathing, give artificial respiration or give oxygen by trained personnel and get immediate medical attention.

NOTES TO PHYSICIAN: Treatment should be based on removing the source of irritation with treatment of symptoms as necessary.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, CO₂, or foam preferred. Avoid use of straight-stream water.

SPECIAL FIRE FIGHTING PROCEDURES: Avoid breathing fumes. Firefighters should not enter confined spaces without wearing a National Institute for Occupational Safety and Health (NIOSH) approved positive pressure self-contained breathing apparatus (SCBA) with full face mask and full protective equipment.

UNUSUAL FIRE OR EXPLOSION HAZARDS: When heated, fumes may burn if ignition source is provided. Burning product will cause thick black smoke. **HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, ozone, hydrogen sulfide, oxides of sulfur, and various hydrocarbons during heating or burning. These combustion products are not expected unless product is heated or burned.

6. ACCIDENTAL RELEASE MEASURES

PRECAUTIONS IF MATERIAL IS SPILLED OR RELEASED: Pick up large pieces. Do not dry seep, dust, or blow with air in confined areas. This material will settle out of the air. If concentrated on land, it can then be scooped up for disposal as a non-hazardous waste. This material will sink and disperse along the bottom of waterways and ponds. It cannot easily be removed after it is waterborne; however, the material is non-hazardous in water. **WASTE DISPOSAL METHODS:** Dispose in accordance with applicable Federal, State, and Local regulations. Do not burn.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE: Store away from heat and all ignition sources and open flames in accordance with applicable laws and regulations. Do not heat or burn using direct fire or a direct flame device.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Follow recommended work practices and use recommended personal protective clothing and equipment. See Section 8 of this SDS.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Components	CAS No.	OSHA		ACGIH		
Raw Products		TWA	STEL	TWA	STEL	Unit
Polyester Fibers	25038-59-9	15/5*	NE	10/3*	NE	mg/m ³
Resin	NE	NE	NE	NE	NE	NE

NE= Not established.

* OSHA: Total Nuisance Dust / Respirable Dust. ACGIH: Particles (insoluble or poorly soluble) not otherwise specified

RESPIRATORY PROTECTION: Normally not needed in well-ventilated areas. If applicable exposure standards are exceeded or can be exceeded, use a NIOSH/MSHA approved air-purifying respirator. If concentrations are sufficiently high that this respirator is inadequate, or high enough to cause oxygen deficiency, use a positive pressure self-contained breathing apparatus (SCBA). Follow all applicable respirator/SCBA use, fitting, training standards and regulations.

VENTILATION: Use only with adequate ventilation to maintain exposures below applicable exposure limits.

EYE PROTECTION: Safety glasses with side-shields must be used if eye contact is possible.

SKIN: Long sleeved shirts and long pants are recommended. Use protective gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	White mat	Upper/Lower Flammability or Explosive Limits:	Not Applicable
Odor Threshold	Not Applicable	Vapor Pressure:	Not Applicable
pH:	Not Applicable	Vapor Density (Air = 1):	Not Applicable
Boiling Point:	Not Applicable	Specific Gravity/Relative Density:	Not Applicable
Melting Point:	Not Applicable	Solubility (IES):	Not Applicable
Flash Point:	Not Applicable	Initial Boiling Point and Boiling Range:	Not Applicable
Autoignition Temperature:	Not Applicable	Evaporation Rate (Butyl Acetate = 1):	Not Applicable
Viscosity:	Not Applicable	Flammability (Solid and Gas):	Not Applicable
Decomposition Temperature:	Not Applicable	Partition Coefficient: N-Octanol/Water:	Not Applicable

10. STABILITY AND REACTIVITY

STABILITY: Stable

REACTIVITY: Reactivity will not occur.

CONDITIONS TO AVOID: Keep from heat, sparks, open flame and other sources of ignition. Avoid contact with strong oxidizing agents. PRODUCT SHOULD NOT BE BURNED OR HEATED USING A DIRECT FLAME DEVICE.

HAZARDOUS REACTION: Polymerization will not occur.

INCOMPATIBILTY (MATERIALS TO AVOID): Strong acids or bases, oxidizing agents, alkalis and water.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and carbon dioxide. These combustion products are not expected unless product is heated or burned.

11. TOXICOLOGICAL INFORMATION

See information in Section 2. Likely routes of exposure:

Acute Effects: Inhalation of dust may cause nose, throat, and mucous membrane irritation. Eye contact may cause severe irritation, redness, tearing, and blurred vision. If ingested may cause mouth, throat and gastrointestinal tract irritation and upset with possible nausea, vomiting and diarrhea.

12. ECOLOGICAL INFORMATION

Ecological information: No information available.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with Federal, State, and Local regulations.

14. TRANSPORT INFORMATION

This product is not regulated as a hazardous material for transport under 49 CFR or for vessel transport under the IMDG Code.

15. REGULATORY INFORMATION

TSCA: Some components in this product are listed on the TSCA Inventory. **CERCLA / SARA:**

Section 302 / Section 304 / Section 313: Product composition is listed in Section 3 of the SDS Section 311 / Section 312: See Section 2 of the SDS

California Proposition 65: 🖄 WARNING: Cancer and Reproductive Harm – https://www.P65Warnings.ca.gov.

16. OTHER INFORMATION

HMIS Rating:	NFPA Rating:
Health - 1	Health - 1
Flammability -0	Flammability - 0
Reactivity - 0	Reactivity - 0

SDS Date of Preparation / Revision: February 2022

Disclaimer of Liability

The information and recommendations contained herein are to the best of **TAMKO Building Products LLC's** knowledge and belief, accurate and reliable as of the date issued. **TAMKO Building Products LLC** does not warrant or guarantee their accuracy or reliability, and **TAMKO Building Products LLC** shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy his or herself that they are suitable and complete for the user's particular use.